




Chemlease® Mold Cleaner 101

Mold Cleaner



©2016 Chem-Trend L.P.

Description

Chemlease® Mold Cleaner 101 is a powerful stripping agent that attacks resinous buildup and removes it from molds. Chemlease® Mold Cleaner 101 can also assist in dissolving and removing wax from composite molds. Chemlease® Mold Cleaner 101 is effective and easy-to-handle for a wide variety of cleaning demands.

Application Instructions

Spray Chemlease® Mold Cleaner 101 into the mold cavity and fill the mold immediately. Elevating the mold temperature to 180-200°F/82-93°C will greatly increase the solvency of the mold cleaner.

Soaking is an effective method for buildup removal. Where polymer buildup is not excessive, spray generous amounts of Chemlease® Mold Cleaner 101 on the surface and allow them to sit overnight at room temperature. Additional time or application may be necessary to remove heavier buildup. Brushing areas of the machinery, which are not amenable to soaking, with Chemlease® Mold Cleaner 101 has been found to be effective.

Chemlease® Mold Cleaner 101 is recommended for cleaning all metal molds. Do not use Chemlease® Mold Cleaner 101 for cleaning polymeric molds (unless the mold has been carefully checked for resistance).

Storage

Store below 110°F to avoid pressurizing the container. Keep container closed when not in use.

Handling

We believe Chemlease® Mold Cleaner 101 has a low degree of hazard when used as intended. For more information, request a copy of Chem-Trend's Safety Data Sheet.

Packaging

Chemlease® Mold Cleaner 101 is available in a variety of package sizes. Please contact Chem-Trend customer service for details.

Further Information

Request information on our complete range of materials: custom-formulated release agents for polyurethane molding; tire lubes and bladder coatings; Mono-Coat® semi-permanent release coatings; aerosol formulations; mold cleaners and sealers; specialized coatings and application equipment.

While the technical information and suggestions for use contained herein are believed to be accurate and reliable, nothing stated in this bulletin is to be taken as a warranty either expressed or implied.